

COLLECTION 2018-2019





AMCL 40136



Discover your luxury vinyl floor

- 04 The looks you want, the comfort you need
- Did you know vinyl could be so beautiful? 06
- Create your own living space 08
- Let us guide you to the perfect floor 10

Collection overview

- Range overview planks and tiles 12
- 14 Types of structure, treatment, finishing and bevel
- Discover the full Livyn collection 16

Installation

- Install Quick-Step luxury vinyl on walls 21
- 22 Install your floor without hassle
- 23 Simply choose click or glue

Finishing

Cleaning

26 Keep your floor in top condition

Finish perfectly 24



The looks you want, the comfort you need



Quiet, strong and 100% waterproof

Enjoy your luxury vinyl floor for many years to come thanks to the sealed top layer with Stain and Scratch Guard technology. This layer ensures superior protection from scratches, stains, dirt and scuff marks. Moreover thanks to their excellent water resistance, our luxury vinyl floors are the perfect choice for every room, even bathrooms or kitchens. The water-repellent layer makes them super easy to clean. These warm, comfortable floors are a pleasure to walk on – even barefoot. Prefer to keep your shoes on? All Livyn floors are silent: you barely hear a thing.




A wide variety of beautiful, natural looks

The Quick-Step Livyn collection includes a wide range of natural-looking wood and stone designs, each with its own authentic character. The extra matt finish makes them nearly indistinguishable from real wood and tile flooring. For a perfect finish, we select the bevels and structures that match your favourite design.







Installed in 1-2-3

Livyn floors are thin and flexible, which makes them the ideal choice for installation over existing floors. You can even do it yourself; all you need is a knife to cut the floor boards! Livyn truly is the perfect solution to renovate a room.

The Uniclic[®] Multifit installation system is specially developed for Livyn floors. It ensures a worry-free installation, even in tight corners and under radiators.



How to install your Livyn floor

Installing a Livyn floor is very easy. Don't believe it? Let us help you with out our installation videos at bit.ly/ytquickstep



Did you know vinyl could be so beautiful?

Inspired by nature, our luxury vinyl floors are nearly indistinguishable from real wood and tile flooring.

Whichever room, whichever style you prefer, Quick-Step has the right luxury vinyl solution for you. Each Livyn floor has its own unique look and feel. Our designers offer you a collection with a wide variety of possibilities: lively colours, beautiful patterns, edgy structures, amazing details,... It's only a matter of choosing your preferred kind of beauty.



Discover our entire range on page 16 - 20





Create your own living space

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!











BACL 40157

Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior ? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.

FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.

Why not give it a try? Enter the FloorExplorer at www.quick-step.co.uk

DEFINE

YOUR STYLE







ROM VIEWER GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.

Try it out now! Launch the RoomViewer at www.quick-step.co.uk



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.CO.UK

Range overview planks and tiles

	dimensions	thickness bevels	
PULSE CLICK Wear-resistant long and wide planks for a clicked installation	151 × 21 cm	≑4,5 mm - 4	
PULSE CLICK ⁺ Extra wear-resistant long and wide planks for a clicked installation	151 × 21 cm	÷4,5 mm -4-	
PULSE GLUE + Extra wear-resistant long and wide planks for a glued installation	151,5 × 21,7 cm	÷ 2,5 mm -4	
BALANCE CLICK Wear-resistant standard planks for a clicked installation	125,1 × 18,7 cm	÷4,5 mm -4	
BALANCE CLICK+ Extra wear-resistant standard planks for a clicked installation	125,1 × 18,7 cm		
BALANCE GLUE+ Extra wear-resistant standard planks for a glued installation	125,6 × 19,4 cm	≑2,5 mm - 4	
AMBIENT CLICK Wear-resistant rectangular tiles for a clicked installation	130 × 32 cm	÷4,5 mm	
AMBIENT CLICK+ Extra wear-resistant rectangular tiles for a clicked installation	130 × 32 cm	<u>+</u> 4,5 mm <u>-</u> 4/ <u>-</u> 4	
AMBIENT GLUE + Extra wear-resistant rectangular tiles for a glued installation	130,5 × 32,7 cm	÷ 2,5 mm -4/-4	



For residential use. Normal daily use in ordinary living spaces.



Pulse/Balance/Ambient Click: commercial warranty on specific request. Contact your local sales representative.



For commercial use. Extra wear-resistant floors for areas with higher usage.



Pulse/Balance/Ambient Click + and Glue+: commercial warranty on specific request: 5 to 15 years. Contact your local sales representative.

pack	inst	allation p	performance level	warranty
7 × L = 2,220				
7 × L = 2,220		TFIT-		UNDERGY CHILD
1] × ⊑ = 3,616				25 VER WARRANTY DOMETIC UIS
9 × L = 2,105				
9 × L = 2,105 I		IFIT -		
15 × L = 3,655				25 VER WARRANTY DOMENCE UN
5 × [= 2,080				
5 × [= 2,080		IFIT -		255 YEAR WARRANY DOWNERGE
9 × [= 3,841	m ²			25 YEAR WARRANTY DOMERCIE





The details make the difference

Each luxury vinyl floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



Structure



Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.

Treatment



Matural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure. Just like real wood.



Intense wood structure

This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.





A surface texture that realistically displays the structure of a stone pattern.



Brushed

A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a Livyn floor.





This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.

Finishing





____ Matt finish

A matt gloss giving the floor a very natural look.



Rustic bevel

Distinctive dark coloured bevel emphasising the rustic and reclaimed character of the floor.



∼ Modern bevel

The bevel defines the plank edges resulting in a clean, modern look.



----- Nano bevel

Fine nano-beveled edges offer the look of a minimalistic, modern floor.

PULSE CLICK PULSE CLICK⁺ PULSE GLUE⁺

PUCL 151 × 21 см 📫 4,5 мм PUCP 151 × 21 см 📥 4,5 мм PUGP 151,5 × 21,7 см 📫 2,5 мм



SEA BREEZE OAK LIGHT PUCL40079 | PUCP40079 | PUGP40079



 $\bigcirc \frown \frown \frown$ COTTON OAK WARM GREY PUCL40105 | PUCP40105 | PUGP40105



 $\bigcirc \frown \frown \frown$ AUTUMN OAK LIGHT NATURAL PUCL40087 | PUCP40087 | PUGP40087



 $\square \frown \neg \neg$ COTTON OAK NATURAL PUCL40104 | PUCP40104 | PUGP40104



MORNING MIST PINE PUCL40074 | PUCP40074 | PUGP40074



COTTON OAK GREY WITH SAW CUTS PUCL40106 | PUCP40106 | PUGP40106



 $\bigcirc \frown \frown \frown$ PURE OAK BLUSH PUCL40097 | PUCP40097 | PUGP40097



PICNIC OAK WARM NATURAL PUCL40094 | PUCP40094 | PUGP40094



 $\square \frown \neg$ SAND STORM OAK WARM GREY PUCL40083 | PUCP40083 | PUGP40083



SEA BREEZE OAK BEIGE PUCL40080 | PUCP40080 | PUGP40080



 $\bigcirc \frown \frown \frown$ PICNIC OAK OCHRE PUCL40093 | PUCP40093 | PUGP40093



 $\bigcirc \frown \frown \frown$ AUTUMN OAK HONEY PUCL40088 | PUCP40088 | PUGP40088



 $\bigcirc \frown \frown \frown$ AUTUMN OAK WARM GREY PUCL40089 | PUCP40089 | PUGP40089



 $\bigcirc \frown \frown \frown$ COTTON OAK BEIGE PUCL40103 | PUCP40103 | PUGP40103



SEA BREEZE OAK NATURAL PUCL40081 | PUCP40081 | PUGP40081



 $\bigcirc \frown \frown \frown$ PURE OAK HONEY PUCL40098 | PUCP40098 | PUGP40098







AND STORM OAK BROWN
PUCL40086 | PUCP40086 | PUGP40086





OTHER VINYL FLOOR WITHOUT PLANK VARIATION

This design technique adds lifelike colour variations with shades and tones, enhancing the natural look of the floor.

Order your floor samples online

Curious to see what the floor of your choice would look like in reality? How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.

BALANCE CLICK BALANCE CLICK⁺ BALANCE GLUE⁺

BACL 125,1 × 18,7 cm = 4,5 mm ВАСР 125,1 × 18,7 cm ≟4,5 mm





 M
 A
 CANYON OAK LIGHT WITH SAW CUTS BACL40128 | BACP40128 | BAGP40128



CANYON OAK GREY WITH SAW CUTS BACL40030 | BACP40030 | BAGP40030



 $\square \frown \neg \neg$ SILK OAK WARM NATURAL BACL40130 | BACP40130 | BAGP40130



 $\square \frown \neg$ COTTAGE OAK NATURAL BACL40025 | BACP40025 | BAGP40025



 $\square \frown \neg$ VELVET OAK LIGHT BACL40157 | BACP40157 | BAGP40157



 $\bigcirc \frown \frown \frown$ VELVET OAK BEIGE BACL40158 | BACP40158 | BAGP40158



 $\bigcirc \frown \frown \frown$ CLASSIC OAK NATURAL BACL40023 | BACP40023 | BAGP40023



VINTAGE CHESTNUT NATURAL BACL40029 | BACP40029 | BAGP40029



 $\square \frown \neg$ CANYON OAK BEIGE BACL40038 | BACP40038 | BAGP40038



 $\bigcirc \frown \frown \frown$ DRIFT OAK BEIGE BACL40018 | BACP40018 | BAGP40018



 $\bigcirc \frown \frown \frown$ SELECT OAK NATURAL BACL40033 | BACP40033 | BAGP40033



VICTORIAN OAK NATURAL BACL40156 | BACP40156 | BAGP40156



 $\square \frown \neg$ SILK OAK LIGHT BACL40052 | BACP40052 | BAGP40052



 $\bigcirc \frown \frown \frown$ SELECT OAK LIGHT BACL40032 | BACP40032 | BAGP40032



 $\square \frown \neg \neg$ CANYON OAK NATURAL BACL40039 | BACP40039 | BAGP40039



 $\square \frown \neg \neg$ VELVET OAK SAND BACL40159 | BACP40159 | BAGP40159









COTTAGE OAK DARK BROWN
BACL40027 | BACP40027 | BAGP40027



CANYON OAK BROWN BACL40127 | BACP40127 | BAGP40127





Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk

AMBIENT CLICK AMBIENT CLICK⁺ AMBIENT GLUE⁺

AMCL 130 × 32 cm 📥 4,5 mm АМСР 130 × 32 cm 🚢 4,5 mm

AMGP


130,5 × 32,7 cm ≛2,5 mm



CLEAN MARBLE CARRARA WHITE AMCL40136 | AMCP40136 | AMGP40136



VIVID CREAM TRAVERTIN AMCL40046 | AMCP40046 | AMGP40046



GREY SLATE AMCL40034 | AMCP40034 | AMGP40034



CLEAN MINIMAL LIGHT GREY AMCL40139 | AMCP40139 | AMGP40139



VIVID LIGHT GREY TRAVERTIN AMCL40047 | AMCP40047 | AMGP40047



AMCL40035 | AMCP40035 | AMGP40035



A CLEAN MINIMAL MEDIUM GREY AMCL40140 | AMCP40140 | AMGP40140





CLEAN MINIMAL TAUPE AMCL40141 | AMCP40141 | AMGP40141




 $\textcircled{\ } \frown \frown \frown \frown$ CLEAN VIBRANT MEDIUM GREY AMCL40138 | AMCP40138 | AMGP40138

 $\textcircled{\black}$ CLEAN VIBRANT SAND AMCL40137 | AMCP40137 | AMGP40137

20

Going vertical Install Quick-Step luxury vinyl on walls





Did you know that Quick-Step luxury vinyl flooring can be applied to wall surfaces as well? This makes it possible to extend the aesthetics of your floor to one or more walls of your interior and creates a unique and stylish sense of space. It's even possible to install Quick-Step Livyn in the shower!

4 golden rules

- 1 Use glue-down Livyn floors: pick your favourite from our Pulse, Balance or Ambient Glue+ collection.
- 2 On a wall: start from a flat and dry surface and use an appropriate adhesive (e.g. Ultrabond ECO MS 4LVT/wall,...).
- 3 In a shower: start from a flat, dry, and vapour-proof surface. Use a joint sealer (e.g. Mapecoat 4LVT,...) on any wall exposed to water.
- 4 Installation: always read the specific installation instructions at www.quick-step.co.uk

STEP 1 INSTALLATION

Install your floor without hassle!

1 Easy installation thanks to the drop-down click system

Our Uniclic® Multifit click system is developed especially for Livyn floors, making them fast and easy to install. The improved drop-down technology provides extra strength thanks to the vertical and horizontal locking.

2 Install Livyn on underfloor heating and cooling

Thanks to the excellent thermal conductivity, Livyn floors are suitable for installation over standard underfloor heating and cooling. For more information: visit www.quick-step.co.uk

3 Renovation friendly

Livyn floors are thin and flexible so they can easily be laid on top of existing, level floor coverings. This will save you a lot of removal effort and let you renovate your space without any hassle.

FOR LIVYN	DOWESTIC USE

111
Ν
FLOOR HEATING

	\sim
	Tix

Installation tools

Install your vinyl floor in an easy and professional way with the handy Quick-Step Livyn installation tool and knife.



Quick-Step® STARTERSKIT Contents: Quick-Step knife, Installation tool, Clean for Livyn (750 ml)



Quick∙Step® **KNIFE**





Quick-Step® LIVYN INSTALLATION TOOL



Quick-Step Livyn floors can be installed in two different ways: floating or glued down. For a perfect installation, check out the installation videos on bit.ly/ytquickstep

Simply choose click or glue



Installing your Livyn floor is easy thanks to the patented Uniclic® Multifit for Livyn click system. A good underlay has a major impact on the final look, quality and comfort of your Quick-Step Livyn floor. Use a Basic underlay for all common installations. For situations with high temperature variations (e.g. conservatory), use the Livyn Sunheat underlay.

- A Quick-Step underlay levels and helps to prevent small irregularities.
- It provides excellent acoustic insulation and reduces creaking noises when you walk across the floor.
- Suitable for floor heating and/or cooling.





Quick-Step® BASIC LIVYN UNDERLAY QSVUDLBASIC 15 Contents: 1 roll = 15 m² Thickness: 1 mm

Quick-Step® SUNHEAT UNDERLAY QSVUDLSH10 Contents: 1 roll = 10 m² Thickness: 1,5 mm



GLUE

The Quick-Step Livyn Glue+ ranges should also be glued down. In conjunction with the glue specialist Soudal, Quick-Step developed a high quality glue especially for Livyn.

- Spreads easily and guarantees fast adhesion.
- Damp-proof.
- Suitable for floor heating and/or cooling.







Quick•Step® LIVYN TROWEL

The Livyn glue trowel ensures the perfect glue consumption per m². To be ordered separately.



For the best results, whether clicking or gluing, always start with a level subfloor. Make sure it's completely dry and free of dust and grease. For more advice about preparing your subfloor, visit www.quick-step.co.uk or your local Quick-Step retailer.

Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

Skirting boards

STEP 2

FINISHING

Quick · Step® LIVYN SKIRTING 2000 × 48 × 12 mm / 2000 × 55 × 12 mm

Quick · Step® FLEXIBLE PAINTABLE SKIRTING

 40×14 mm (can be cut at the desired length)





Quick · Step® LIVYN PAINTABLE SKIRTING 2400 × 55 × 8 mm



QSVSKRA(-): 2000 × 48 × 12 mm. Available for all Balance and Ambient floors QSVSKRB(-): 2000 × 55 × 12 mm. Available for all Pulse floors Absolutely perfectly matching, in colour and structure, with your Quick-Step Livyn floor. Water- and wear-resistant, for a lifetime of pleasure.

Aluminium finishing profiles

Quick · Step® LIVYN EXPANSION PROFILE

2000 × 7 × 24 mm QSVEXPSILV (for residential use*) 2000 × 5 × 26 mm QSVEXPCOMSILV (for commercial use **)







QSPRSILV, QSPRGOLD, QSPRBRON

Quick · Step® LIVYN ADAPTER PROFILE

2000 × 7 × 26 mm QSVADPSILV (for residential use*) 2000 × 7 × 24 mm QSVADPCOMSILV (for commercial use * *)



Quick · Step® MULTIFUNCTIONAL PROFILE 1860 × 47 × 12.3 mm

Available in silver, gold or bronze. Bridges height differences up to 12.3 mm and can be used as an adapter or expansion profile.

Quick · Step® LIVYN END PROFILE

2000 × 7 × 18 mm QSVENPSILV (for residential use*) 2000 × 7 × 18 mm QSVENPCOMSILV (for commercial use**)





Quick • Step® **ONE4ALL GLUE** 290 ml QSGLUE290

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

24 ** commercial: for clicked and glued Livyn floors. Without sub-profile. With screws and plugs included

Stairs and steps



Quick-Step® STAIR PROFILE GLUE INNER CORNER 2000 × 25 × 25 mm



Quick-Step® STAIR PROFILE GLUE OUTER CORNER 2000 × 26 × 40 mm



Always glue the floor panels on the stairs of your staircase.

Quick·Step® STAIR PROFILE CLICK 2000 × 15 × 30 mm



Finishing tools

Quick•Step® KIT 310 ml QSKIT(-)



Elastic, acrylic-based paste. Use it to fill gaps in a matching colour. Quick·Step® HYDROKIT 310 ml QSKITTRANSP



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing. Quick·Step® RADIATOR COVER

Contents: 2 radiator covers per package QSRCINOX15/22



The pipe covers (in stainless steel) allow you to finish heating elements and pipes. Available in two diameters: 15 mm or 22 mm.

STEP 3 CLEANING


Keep your floor in top condition





Quick·Step® CLEAN FOR LIVYN QSVCLEANING750

Specifically developed for Livyn, Quick-Step Livyn Clean takes care of the daily maintenance of your floor. It protects the special top layer that helps to preserve original beauty and natural matt look of your floor.



We invest in energy-efficient production



We generate energy out of internal waste. The Livyn production plant uses this as its main source of power.



We continue to minimize our water use. 97% of our water supply for production is recycled water and more than 1000 m³ rainwater is reused.

We use carefully screened raw materials



Quick-Step Livyn does not contain any harmful substances. We only use phthalate free plasticizers.*



Our internal waste is 100% recycled.

Quick-Step livyn is a safe and extremely durable floor



Thanks to the perfectly sealed surface, the emission of volatile organic compounds is over 50 times lower than the most stringent European norm.



Thanks to the Scratch & Stain Guard technology, dirt can just be wiped off the floor, keeping the floor hygienic.

No aggressive cleaning agents needed.

COLLECTION 2018-2019





Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.guick-step.co.uk


Your Quick•Step® point of sale



www.quick-step.co.uk

FOLLOW US ON





f www.facebook.com/QuickStepFloors Killing www.youtube.com/quickstepfloor

Quick-Step® is a quality product produced by 🕸 UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO BACL 40159. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Content © 2018-2019 by #UNILIN byba - division Flooring. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. Print ref. 018 125 01 • Z2 EN